



GRP Bay Canopies



Avocet 001 Splayed Curved Canopy



Specification:

Canopy with a lead effect curved top and two imitation lead rolls.

The unit has a decorative base with splayed ends at 45° and incorporates fascia and soffit which can be finished in either white or brown.

PU foam is incorporated into the base to provide insulation.

An upstand is attached to allow for fixing the unit to the wall, which can be covered with traditional lead flashing in situ.

Can be used as either a porch over door or as a roof over bay window. When used over porch gallows brackets are available as an optional item.

Dimensions:

Drg Ref	Width	Depth	Height
Ex26	2525mm	550mm	660mm

Contact Us:

M: 07760 711127

T: 01242 430349

E: sales@bricks-tiles.co.uk

Web: www.bricks-tiles.co.uk

Avocet 002 Splayed Curved Canopy



Specification:

Canopy with a lead effect curved top and three reproduction lead rolls.

The unit has a decorative base with splayed ends at 45° and incorporates fascia and soffit finished in white.

PU Foam is integrated into the base to provide insulation.

An upstand is attached to allow for fixing the unit to the wall, which can be covered with traditional lead flashing in situ.

Can be used either as a porch over door or as a roof over bay window. When used over porch gallows brackets are available as an optional item.

Dimensions:

Drg ref	Width	Depth	Height
Ex	2800mm	500mm	650mm

Contact Us:

M: 07760 711127

T: 01242 430349

E: sales@bricks-tiles.co.uk

Web: www.bricks-tiles.co.uk

Avocet 004 Splayed Curved Canopy



Specification:

Canopy with a lead effect curved top and two imitation lead rolls.

The unit has a decorative base with splayed ends at 45° and incorporates fascia and soffit which can be finished in either white or brown.

PU foam is incorporated into the base to provide insulation.

An upstand is attached to allow for fixing the unit to the wall, which can be covered with traditional lead flashing in situ.

Can be used as either a porch over door or as a roof over bay window.

When used over porch gallows brackets are available as an optional item.

Dimensions:

Drg Ref	Width	Depth	Height
Ex34	2930mm	690mm	870mm

Contact Us:

M: 07760 711127

T: 01242 430349

E: sales@bricks-tiles.co.uk

Web: www.bricks-tiles.co.uk

Avocet 005 Splayed Curved Canopy



Specification:

Canopy with a lead effect curved top and two imitation rolled lead joints.

The unit has a decorative base with splayed ends at 45° and incorporates fascia and soffit which can be finished in either white or brown.

PU foam is incorporated into the base to provide insulation.

An upstand is attached to allow for fixing the unit to the wall, which can be covered with traditional lead flashing in situ.

Can be used as either a porch over door or as a roof over bay window. When used over porch gallows brackets are available as an optional item.

Dimensions:

Drg Ref	Width	Depth	Height
Ex35	1925mm	565mm	725mm

Contact Us:

M: 07760 711127

T: 01242 430349

E: sales@bricks-tiles.co.uk

Web: www.bricks-tiles.co.uk

Avocet 007 Splayed Curved Canopy



Specification:

Canopy with a lead effect curved top and two imitation lead rolls.

The unit has a decorative base with splayed ends at 45° and incorporates fascia and soffit which can be finished in either white or brown.

PU foam is incorporated into the base to provide insulation.

An upstand is attached to allow for fixing the unit to the wall, which can be covered with traditional lead flashing in situ.

Can be used as either a porch over door or as a roof over bay window. When used over porch gallows brackets are available as an optional item.

Dimensions:

Drg Ref	Width	Depth	Height
Ex36	2550mm	600mm	760mm

Contact Us:

M: 07760 711127

T: 01242 430349

E: sales@bricks-tiles.co.uk

Web: www.bricks-tiles.co.uk

Osprey 004 Splayed Straight Bay Canopy



Specification:

Canopy base with splayed ends at 45° with fascia and soffit finished in white.
 PU Foam is integrated into the base to provide insulation.
 Can be used either as a porch over door or as a roof over bay window.
 Supplied with timber trusses ready for traditional tiling on site.

Dimensions:

Canopy	Drg Ref	Width	Depth	Height
Osprey 004	064	2460mm	570m	680mm

Contact Us:

M: 07760 711127
 T: 01242 430349
 E: sales@bricks-tiles.co.uk
 Web: www.bricks-tiles.co.uk

Skylark 001 Square Straight Bay Canopy



Specification:

Canopy with a lead effect sloped top and two reproduction lead rolls.
 A decorative 90° base incorporating fascia and soffit finished in white.
 PU Foam is integrated into the base to provide insulation.
 An up stand is attached to allow for fixing the unit to the wall, which can be covered with traditional lead flashing in situ.
 Can be used either as a porch over door or as a roof over bay window.
 When used over porch gallows brackets are available as an optional item.

Dimensions:

Canopy	Drg Ref	Width	Depth	Height
Skylark 001	017	2800mm	500mm	650mm

Contact Us:

M: 07760 711127
 T: 01242 430349
 E: sales@bricks-tiles.co.uk
 Web: www.bricks-tiles.co.uk

Teal 003 Splayed Flat Canopy



Specification:

Canopy with a flat lead effect top and splayed base with 45° ends.

The plain base incorporates fascia and soffit finished in white.

PU Foam is integrated into the base to provide insulation

An up stand is attached to allow for fixing the unit to the wall, which can be covered with traditional lead flashing in situ.

Dimensions:

Drg Ref	Width	Depth	Height
Ex027	2800mm	500mm	650mm

Contact Us:

M: 07760 711127

T: 01242 430349

E: sales@bricks-tiles.co.uk

Web: www.bricks-tiles.co.uk

Teal 007 Splayed Flat Top Canopy



Specification:

Canopy with a flat lead effect top with two reproduction rolled lead joints and decorative splayed base with 45° ends.

The base incorporates fascia and soffit finished in white.

PU Foam is integrated into the base to provide insulation.

An up stand is attached to allow for fixing the unit to the wall, which can be covered with traditional lead flashing in situ.

Dimensions:

Drg Ref	Width	Depth	Height
Ex044	2265mm	560mm	175mm

Contact Us:

M: 07760 711127

T: 01242 430349

E: sales@bricks-tiles.co.uk

Web: www.bricks-tiles.co.uk

Teal 008 Splayed Flat Top Canopy



Specification:

Canopy with a flat lead effect top with two reproduction rolled lead joints and decorative splayed base with 45° ends.

The base incorporates fascia and soffit finished in white.

PU Foam is integrated into the base to provide insulation

An up stand is attached to allow for fixing the unit to the wall, which can be covered with traditional lead flashing in situ.

Dimensions:

Drg Ref	Width	Depth	Height
Ex045	2885mm	675mm	245mm

Contact Us:

M: 07760 711127

T: 01242 430349

E: sales@bricks-tiles.co.uk

Web: www.bricks-tiles.co.uk